







**PURE EQUIPMENT**

**WATER COOLERS  
2025-26**

[www.pureequipment.gr](http://www.pureequipment.gr)



# TYPE A



F

- Floor-standing drinking water cooler for public and private common areas, with one bubbler and one glass filler.
- Possibility of pre-installation of an activated carbon filter to retain chlorine, bad odour and bad taste.

Type	A 250	A 300	A 350
Standard Colour*	WHITE	WHITE	WHITE
Dimensions (LxWxH cm)	31 x 31 x 95(116)	31 x 31 x 95(116)	31 x 31 x 95(116)
Weight (Kgr)	26	27	28
INOX Water Tank (Lt)	8	8	8
Output (Lt/hr)	45	55	65
Voltage / Frequency (V/Hz)	220/50	220/50	220/50
Rated Power (W)	160	200	290

\* Available also in any RAL colour and in STAINLESS STEEL.

**ATTENTION:** Water coolers should be placed in a place where ventilation of the machine is ensured.


# TYPE A-NT



A



B



F

- Floor-standing stainless steel drinking water cooler for public and private common areas, with one bubbler and one glass filler.
  - NO TOUCH operation for personal protection and hygiene.
- Possibility of pre-installation of an activated carbon filter to retain chlorine, bad odour and bad taste.

Type	A 250	A 300	A 350
Standard Colour*	INOX	INOX	INOX
Dimensions (LxWxH cm)	31 x 31 x 95(116)	31 x 31 x 95(116)	31 x 31 x 95(116)
Weight (Kgr)	26	27	28
INOX Water Tank (Lt)	8	8	8
Output (Lt/hr)	45	55	65
Voltage / Frequency (V/Hz)	220/50	220/50	220/50
Rated Power (W)	160	200	290

\* Available also in any RAL colour.

**ATTENTION:** Water coolers should be placed in a place where ventilation of the machine is ensured.

# TYPE A-H

## NEW



F

- Floor-standing stainless steel drinking water cooler for public and private common areas, with one bubbler and one glass filler for cold and one for hot water.
- Possibility of pre-installation of an activated carbon filter to retain chlorine, bad odour and bad taste.


Type	A 250 - H	A 300 - H	A 350 - H
Standard Colour*	INOX	INOX	INOX
Dimensions (LxWxH cm)	31 x 31 x 95(116)	31 x 31 x 95(116)	31 x 31 x 95(116)
Weight (Kgr)	27	28	29
Cold Water INOX Tank (Lt)	8	8	8
Hot Water Output (Lt/min)	45	55	65
Cold Water Output (Lt/hr)	2	2	2
Voltage / Frequency (V/Hz)	220/50	220/50	220/50
Rated Power Cold/Hot (W)	160/2.200	200/2.200	290/2.200

\* Available also in any RAL colour.

**ATTENTION:** Water coolers should be placed in a place where ventilation of the machine is ensured.



# TYPE A 400/500/700



F

- Floor-standing stainless steel drinking water cooler with a stainless steel sink, with a bottle filler and a water bubbler, ideal for hotels, restaurants, cafeterias etc.
- Possibility of pre-installation of an activated carbon filter to retain chlorine, bad odour and bad taste

Type	A 400	A 500	A 700
Standard Colour	INOX	INOX	INOX
Dimensions (LxWxH cm)	40 x 40 x 95(123)	40 x 40 x 95(123)	40 x 40 x 95(123)
Weight (Kgr)	34	36	40
INOX Water Tank (Lt)	8	12	17
Output (Lt/hr)	55	90	130
Voltage / Frequency (V/Hz)	220/50	220/50	220/50
Rated Power (W)	200	290	360

**ATTENTION:** Water coolers should be placed in a place where ventilation of the machine is ensured.

# TYPE T NEW




- Counter top drinking water cooler with a bottle filler, ideal for hotels, restaurants, cafeterias etc.
- No connection to a drain is required.
- Possibility of pre-installation of an activated carbon filter to retain chlorine, bad odour and bad taste.

Type	T
Standard Colour	BLACK
Dimensions (LxWxH cm)	27x36x53
Weight (Kgr)	28
Ice Tank (Lt)	12
Output (Lt/hr)	60
Voltage / Frequency (V/Hz)	220/50
Rated Power (W)	200

**ATTENTION:** Water coolers should be placed in a place where ventilation of the machine is ensured.

# TYPE K



F

- Stainless steel drinking water cooler, floor standing with 2 or 3 taps, ideal for places such as schools, universities, hospitals, barracks, factories, etc.
- Possibility of pre-installation of an activated carbon filter to retain chlorine, bad odour and bad taste.

Type	K 2	K 3
Standard Colour	INOX	INOX
Dimensions (LxWxH cm)	75 x 55 x 120	90 x 55 x 120
Weight (Kgr)	65	80
INOX Water Tank (Lt)	12	17
Output (Lt/hr)	150	200
Voltage / Frequency (V/Hz)	220/50	220/50
Rated Power (W)	360	580

**ATTENTION:** Water coolers should be placed in a place where ventilation of the machine is ensured.

# TYPE C




**C 300 - C 400 - C 500**



**C 1000**



**C1000**




**M 40**

- **C 300, C 400, C 500:** Floor-standing drinking water cooler, painted galvanized steel body, for installation under a counter, with one water inlet and one outlet, ideal for mass catering areas.
- **C 1000, M 40:** Constant flow system, stainless steel body.
- **M 40:** Beer, wine and soft drink cooler, floor standing, with up to 3 different beverage outlets. Stainless steel beverage pipes. Equipped with a drink supply pump.

Type	C 300	C 400	C 500	C 1000	M 40
Standard Colour	GREY	GREY	GREY	INOX	INOX
Dimensions (LxWxH cm)	31 x 36 x 45	31 x 36 x 45	31 x 36 x 45	32 x 37 x 65	32 x 37 x 65
Weight (Kgr)	23	24	25	32	32
INOX Water Tank (Lt)	8	8	8	-	-
Ice Tank (Lt)	-	-	-	18	18
Output (Lt/hr)	35	50	70	100	100
Voltage / Frequency (V/Hz)	220/50	220/50	220/50	220/50	220/50
Rated Power (W)	160	200	290	160	160

**ATTENTION:** Water coolers should be placed in a place where ventilation of the machine is ensured.


# TYPE F



- Water cooler for bakery, free standing or wall-mounted, stainless steel body, rolled steel angle section framework

Type	F 100	F 200	F 300
Standard Colour	INOX	INOX	INOX
Dimensions (LxWxH cm)	53 x 53 x 89	53 x 53 x 89	53 x 53 x 89
Weight (Kgr)	72	78	82
Output (Lt/hr)	100	200	300
Ice Tank (Lt)	60	60	60
Voltage / Frequency (V/Hz)	220/50	220/50	220/50
Rated Power (W)	465	655	840

\*Water temperature 3-5°C



Type	Water doser VD	Water doser / Mixer MDV
Dimensions (LxWxH cm)	24 x 19 x 13	30 x 26 x 13
Voltage / Frequency (V/Hz)	220/50	220/50

# TYPE H

## NEW




- Industrial water cooler for spot welding machines and other water cooled equipment
- Electronic temperature controller
- Stainless steel recirculation pump 800W
- For 1, 2 or 3 machines

Type	H1	H2	H3
Standard Colour	INOX	INOX	INOX
Dimensions (LxWxH cm)	55 x 53 x 115	55 x 53 x 115	55 x 53 x 115
Weight (Kgr)	78	80	85
Max. water supply (Lt/hr)	3500	3500	3500
Water Tank (Lt)	60	60	60
Voltage / Frequency (V/Hz)	220/50	220/50	220/50
Rated Power (W)	1225	1415	1600



# TYPE WRS 3



- A triple-function water refill station designed to serve three purposes: filling bottles, providing healthy drinking water directly from the tap, and giving fresh water to animals.
- The WRS-3 is ideal for (public) outdoor areas like parks and schoolyards.
- With a concrete base for a solid foundation, resistant to vandalism.

Type	WRS 3
Standard Colour*	Painted Galvanised steel
Dimensions (LxWxH cm)	12 x 69 x 119
Base Dimensions (LxWxH cm)	50 x 50
Weight (Kgr)	30

\* Available in any RAL colour.



PURE EQUIPMENT



📍 270, EVELPIDON Ave., VARI 16672, GREECE

☎ +30 210 8900098

🌐 [www.pureequipment.gr](http://www.pureequipment.gr)

✉ [info@pureequipment.gr](mailto:info@pureequipment.gr)